



**ZENITH
TOOLS**



www.zenithtools.com

Product Catalog

APRIL 2025

"Master of All Trades, Every Master's Choice!"

CONTENTS

Premium Class

Trowels.....	4
Curved Trowels.....	5
Glued Trowels.....	6
Notched Trowels.....	8
Pool Trowels.....	9
Venetia Trowels.....	10
Forged Brick Trowels.....	12
Skimming Blades with Replaceable Blades.....	14
Replaceable Blades.....	15
Hawks.....	16
Mud Rollers.....	17
Adapters and Extendable Handles.....	17

Standart Class

ABS Floats and Sponge Floats.....	19
Facade Taping and Paint Putty Knives.....	20
Mixing Tube and Buckets.....	21
Adhesive Trowels.....	21
Corner Trowels.....	22
Notched Trowels.....	23
Trowels.....	23
Venetian Trowels.....	24
Tilers Spatula.....	24
Trapezoid Trowels.....	25
Triangular Trowels.....	26
Tilers Tools.....	27
Articulated Sponge.....	28
Measuring Tools.....	28
Styrofoam and Poliurethane Float.....	29
Scrapers and Others.....	29

Premium Class



TROWELS

Premium Gold Trowel Cork



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Silver trowel cork



Length	279 mm
Width	130 mm
Blade thickness	0,7 mm

Premium gold trowel leather alcantara



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Silver trowel leather alcantara



Length	279 mm
Width	130 mm
Blade thickness	0,7 mm

Premium gold trowel leather vintage



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Silver trowel leather vintage



Length	279 mm
Width	130 mm
Blade thickness	0,7 mm

Premium gold trowel twocomponent



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Silver trowel twocomponent



Length	279 mm
Width	130 mm
Blade thickness	0,7 mm

ZENITH
GLOBAL A.Ş.

"Master of All Trades, Every Master's Choice!"

CURVED TROWELS

Curved gold trowel leather alcantara



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Curved silver trowel cork



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Curved gold trowel cork



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Curved silver trowel leather alcantara



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Curved gold trowel twocomponent



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Curved silver trowel leather vintage



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Curved gold trowel leather vintage



Length	203 mm
Width	86 mm
Blade thickness	0,65 mm

Curved silver trowel twocomponent



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Curved silver trowel cork 0.5



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Curved silver trowel leather vintage 0.5



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Curved silver trowel leather alcantara 0.5



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Curved silver trowel twocomponent 0.5



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

"Master of All Trades, Every Master's Choice!"

GLUED TROWELS

Super Flex gold trowel cork



Length	279 mm
Width	100 mm
Blade thickness	0,3 mm

Medium Flex silver trowel cork



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Super Flex gold trowel leather alcantara



Length	279 mm
Width	100 mm
Blade thickness	0,3 mm

Medium Flex silver trowel leather vintage



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Super Flex gold trowel leather vintage



Length	279 mm
Width	100 mm
Blade thickness	0,3 mm

Medium Flex silver trowel twocomponent



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Super Flex gold trowel twocomponent



Length	279 mm
Width	100 mm
Blade thickness	0,3 mm

Medium Flex silver trowel leather alcantara



Length	279 mm
Width	120 mm
Blade thickness	0,4 mm

Medium Flex gold trowel leather vintage



Length	279 mm
Width	100 mm
Blade thickness	0,4 mm

Medium Flex gold trowel leather alcantara



Length	279 mm
Width	100 mm
Blade thickness	0,4 mm

Medium Flex gold trowel twocomponent



Length	279 mm
Width	100 mm
Blade thickness	0,4 mm

Medium Flex gold trowel cork



Length	279 mm
Width	100 mm
Blade thickness	0,4 mm

"Master of All Trades, Every Master's Choice!"

GLUED TROWELS

Flex silver trowel cork



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Flex silver trowel leather vintage



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Flex silver trowel leather alcantara



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Flex silver trowel twocomponent



Length	279 mm
Width	120 mm
Blade thickness	0,5 mm

Polycarbonate trowel cork



Length	279 mm
Width	110 mm
Blade thickness	1 mm

Polycarbonate trowel leather alcantara



Length	279 mm
Width	110 mm
Blade thickness	1 mm

Polycarbonate trowel leather vintage



Length	279 mm
Width	110 mm
Blade thickness	1 mm

ZENITH
GLOBAL A.Ş.

"Master of All Trades, Every Master's Choice!"

NOTCHED TROWELS

Notched gold trowel twocomponent



Length	279 mm
Width	120 mm
Blade thickness	0,65 mm

Notched silver trowel leather vintage



Length	279 mm
Width	120 mm
Blade thickness	0,7 mm

Notched gold trowel cork



Length	279 mm
Width	120 mm
Blade thickness	0,65 mm

Notched silver trowel leather alcantara



Length	279 mm
Width	120 mm
Blade thickness	0,7 mm

Notched gold trowel leather alcantara



Length	279 mm
Width	120 mm
Blade thickness	0,65 mm

Notched silver trowel twocomponent



Length	279 mm
Width	120 mm
Blade thickness	0,7 mm

Notched gold trowel leather vintage



Length	279 mm
Width	120 mm
Blade thickness	0,65 mm

Notched silver trowel cork



Length	279 mm
Width	120 mm
Blade thickness	0,7 mm

ZENITH
GLOBAL A.Ş.

"Master of All Trades, Every Master's Choice!"

POOL TROWELS

Double rounded gold pool trowel twocomponent


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded pool trowel cork


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded gold pool trowel cork


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded pool trowel twocomponent


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded gold pool trowel leather vintage


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded pool trowel leather alcantara


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded gold pool trowel leather alcantara


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Double rounded pool trowel leather vintage


Length	280 mm
Width	120 mm
Width at the back	100 mm
Blade thickness	0,7 mm

Pointed spring steel flooring trowel leather alcantara


Length	380 mm
Width	90 mm
Width at the back	100 mm
Blade thickness	1,2 mm

Pointed spring steel flooring trowel cork


Length	380 mm
Width	90 mm
Width at the back	100 mm
Blade thickness	1,2 mm

Pointed spring steel flooring trowel leather vintage


Length	380 mm
Width	90 mm
Width at the back	100 mm
Blade thickness	1,2 mm

Pointed spring steel flooring trowel twocomponent


Length	380 mm
Width	90 mm
Width at the back	100 mm
Blade thickness	1,2 mm

"Master of All Trades, Every Master's Choice!"

VENETIAN TROWELS

**Glued gold inverted trapezoid venetian trowel
leather alcantara**



Length	240 mm
Width	100 mm
Blade thickness	0,3 mm
Length of smaller page	130 mm

**Gold inverted trapezoid venetian trowel
leather alcantara**



Length	240 mm
Width at the back	100 mm
Blade thickness	0,65 mm
Length of smaller page	130 mm

**Glued gold inverted trapezoid venetian trowel
leather vintage**



Length	240 mm
Width	100 mm
Blade thickness	0,3 mm
Length of smaller page	130 mm

**Gold inverted trapezoid venetian trowel
cork**



Length	240 mm
Width at the back	100 mm
Blade thickness	0,65 mm
Length of smaller page	130 mm

**Glued gold inverted trapezoid venetian
trowel cork**



Length	240 mm
Width	100 mm
Blade thickness	0,3 mm
Length of smaller page	130 mm

**Gold inverted trapezoid venetian trowel
twocomponent**



Length	240 mm
Width at the back	100 mm
Blade thickness	0,65 mm
Length of smaller page	130 mm

**Glued gold inverted trapezoid venetian
trowel twocomponent**



Length	240 mm
Width	100 mm
Blade thickness	0,3 mm
Length of smaller page	130 mm

**Gold inverted trapezoid venetian trowel
leather vintage**



Length	240 mm
Width at the back	100 mm
Blade thickness	0,65 mm
Length of smaller page	130 mm

Gold iron-shape venetian trowel cork



Length	240 mm
Width	86 mm
Width at the back	130 mm
Blade thickness	0,3 mm

Gold iron-shape venetian trowel leather alcantara



Length	240 mm
Width	86 mm
Width at the back	130 mm
Blade thickness	0,3 mm

Gold iron-shape venetian trowel twocomponent



Length	240 mm
Width	86 mm
Width at the back	130 mm
Blade thickness	0,3 mm

**Gold iron-shape venetian trowel leather
vintage**



Length	240 mm
Width	86 mm
Width at the back	130 mm
Blade thickness	0,3 mm

"Master of All Trades, Every Master's Choice!"

VENETIAN TROWELS

Gold trapezoid venetian trowel leather vintage



Length	240 mm
Width	80 mm
Width at the back	100 mm
Blade thickness	0,3 mm

Gold trapezoid venetian trowel cork



Length	240 mm
Width	80 mm
Width at the back	100 mm
Blade thickness	0,3 mm

Gold trapezoid venetian trowel twocomponent



Length	240 mm
Width	80 mm
Width at the back	100 mm
Blade thickness	0,3 mm

Gold trapezoid venetian trowel leather alcantara



Length	240 mm
Width	80 mm
Width at the back	100 mm
Blade thickness	0,3 mm

Gold venetian trowel leather alcantara



Length	200 mm
Width	86 mm
Blade thickness	0,3 mm

Gold venetian trowel twocomponent



Length	200 mm
Width	86 mm
Blade thickness	0,3 mm

Gold trapezoid venetian trowel leather alcantara (2)



Length	200 mm
Width	70 mm
Width at the back	80 mm
Blade thickness	0,65 mm

Gold trapezoid venetian trowel cork (2)



Length	200 mm
Width	70 mm
Width at the back	80 mm
Blade thickness	0,65 mm

Gold trapezoid venetian trowel twocomponent (2)



Length	200 mm
Width	70 mm
Width at the back	80 mm
Blade thickness	0,65 mm

Gold trapezoid venetian trowel leather vintage (2)



Length	200 mm
Width	70 mm
Width at the back	80 mm
Blade thickness	0,65 mm

Gold venetian trowel cork



Length	200 mm
Width	86 mm
Blade thickness	0,3 mm

Gold venetian trowel leather vintage



Length	200 mm
Width	86 mm
Blade thickness	0,3 mm

"Master of All Trades, Every Master's Choice!"

FORGED BRICK TROWELS

Forged joint pointing trowel leather vintage


Length	170 mm
Width	65 mm
Blade thickness	gradowanie od 2,5 do 1,5 mm

Forged london trowel leather vintage


Length	254 mm
Width	122 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged joint pointing trowel twocomponent


Length	170 mm
Width	65 mm
Blade thickness	gradowanie od 2,5 do 1,5 mm

Forged london trowel cork


Length	254 mm
Width	122 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged joint pointing trowel leather alcantara


Length	170 mm
Width	65 mm
Blade thickness	gradowanie od 2,5 do 1,5 mm

Forged london trowel twocomponent


Length	254 mm
Width	122 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged joint pointing trowel cork handle


Length	170 mm
Width	65 mm
Blade thickness	gradowanie od 2,5 do 1,5 mm

Forged london trowel leather alcantara


Length	254 mm
Width	122 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged margin trowel cork


Length	127 mm
Width	50 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged margin trowel leather alcantara


Length	127 mm
Width	50 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged margin trowel twocomponent


Length	127 mm
Width	50 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged margin trowel leather vintage


Length	127 mm
Width	50 mm
Blade thickness	gradowanie od 2 do 1 mm

"Master of All Trades, Every Master's Choice!"

FORGED BRICK TROWELS

Forged Philadelphia trowel leather vintage



Length	254 mm
Width	135 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged pointing trowel leather vintage



Length	115 mm
Width	60 mm
Blade thickness	gradowanie od 1,5 do 1 mm

Forged Philadelphia trowel leather alcantara



Length	254 mm
Width	135 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged pointing trowel leather alcantara



Length	115 mm
Width	60 mm
Blade thickness	gradowanie od 1,5 do 1 mm

Forged Philadelphia trowel twocomponent



Length	254 mm
Width	135 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged pointing trowel twocomponent



Length	115 mm
Width	60 mm
Blade thickness	gradowanie od 1,5 do 1 mm

Forged Philadelphia trowel cork



Length	254 mm
Width	135 mm
Blade thickness	gradowanie od 2 do 1 mm

Forged pointing trowel cork



Length	115 mm
Width	60 mm
Blade thickness	gradowanie od 1,5 do 1 mm

"Master of All Trades, Every Master's Choice!"

SKIMMING BLADES WITH REPLACEABLE BLADES

ErgoPlane Flex



Length	600 mm
Blade thickness	0,5 mm

ErgoPlast Flex



Length	600 mm
Blade thickness	0,5 mm

ErgoPlane Super Flex



Length	600 mm
Blade thickness	0,3 mm

ErgoPlast Super Flex



Length	600 mm
Blade thickness	0,3 mm

ErgoSoft Super Flex



Length	600 mm
Blade thickness	0,3 mm

ErgoSoft Flex



Length	600 mm
Blade thickness	0,5 mm

Premium ErgoPlane Max Pro Line



Length	600 mm
Blade thickness	0,65 mm

Premium ErgoPlane Gold Line



Length	600 mm
Blade thickness	0,3 mm

Premium ErgoPlane Silver Line



Length	600 mm
Blade thickness	0,4 mm

"Master of All Trades, Every Master's Choice!"

REPLACEABLE BLADES

Replaceable blade for ErgoPlane Super Flex



Length	600 mm
Blade thickness	0,3 mm

Replaceable blade for ErgoPlast Flex



Length	600 mm
Blade thickness	0,5 mm

Replaceable blade for ErgoPlane Flex



Length	600 mm
Blade thickness	0,5 mm

Replaceable blade for ErgoPlast Super Flex



Length	600 mm
Blade thickness	0,3 mm

Replaceable blade for ErgoSoft Flex



Length	600 mm
Blade thickness	0,5 mm

Replaceable blade for Premium ErgoPlane Gold Line



Length	600 mm
Blade thickness	0,3 mm

Replaceable blade for ErgoSoft Super Flex



Length	600 mm
Blade thickness	0,3 mm

Replaceable blade for Premium ErgoPlane Max Pro



Length	600 mm
Blade thickness	0,65 mm

Replaceable blade for Premium ErgoPlane Silver Line



Length	600 mm
Blade thickness	0,4 mm

"Master of All Trades, Every Master's Choice!"

HAWKS

Hawk leather alcantra



Length	330 mm
Width	330 mm
Blade thickness	1,75 mm

Hawk leather vintage



Length	330 mm
Width	330 mm
Blade thickness	1,75 mm

Hawk cork



Length	330 mm
Width	330 mm
Blade thickness	1,75 mm

Hawk twocomponent



Length	330 mm
Width	330 mm
Blade thickness	1,75 mm

ZENITH
GLOBAL A.Ş.

"Master of All Trades, Every Master's Choice!"

MUD ROLLERS

Paint Roller



Bristle length	18 mm
Length	230 mm
Width	80 mm

Roll frame



Length	280 mm
Width	180 mm

ADAPTERS AND EXTENDABLE HANDLES

Aluminium adapter for facade taping knives



Length	100 mm
Width	279 mm

Adapter for skimming blades



Red adapter for skimming blades for connection to the extendable handles.

Extendable handle



Extendable telescopic handle for skimming blades, facade taping knives and mood rollers. It extends with a convenient reliable mechanism..

Universal adapter and 2K shaft adapter



Universal threaded telescopic adapter allowing connection to other tools and an adapter for two-component shafts.

Universal adapter



Universal threaded telescope adapter allowing connection to other tools.

"Master of All Trades, Every Master's Choice!"

Standart Class



ABS FLOATS AND SPONGE FLOATS

Trowel with hydro sponge



Sponge thickness	25 mm
Length	280 mm
Width	140 mm

Two-component hydrosponge trowel



Sponge thickness	25 mm
Length	280 mm
Width	140 mm

Trowel with rubber sponge



Sponge thickness	18 mm
Length	280 mm
Width	140 mm

Trowel with hydro sponge



Length	280 mm
Width	140 mm

Trowel with yellow two-component hydrosponge



Sponge thickness	25 mm
Length	280 mm
Width	140 mm

Super Profi two-component hydrosponge trowel



Sponge thickness	25 mm
Length	280 mm
Width	140 mm

ABS bronze trowel



Length	279 mm
Width	127 mm

Black two-component ABS trowel



Length	280 mm
Width	140 mm
Blade thickness	8 mm

Two-component ABS trowel



Length	280 mm
Width	130 mm
Blade thickness	3 mm

ABS black trowel



Length	280 mm
Width	140 mm
Blade thickness	8 mm

ABS lighter trowel



Length	280 mm
Width	130 mm
Blade thickness	3 mm

ABS trowel with two-component rubber



Length	250 mm
Width	100 mm

ABS leather alcantara trowel



Length	280 mm
Width	130 mm
Blade thickness	3 mm

Trowel with two-component bronze hydrosponge



Sponge thickness	25 mm
Length	280 mm
Width	140 mm

"Master of All Trades, Every Master's Choice!"

ABS FLOATS AND SPONGE FLOATS

Two-component rubber sponge trowel


Sponge thickness	18 mm
Length	280 mm
Width	140 mm

ABS trowel


Length	280 mm
Width	130 mm
Blade thickness	3 mm

FACADE TAPING AND PAINT PUTTY KNIVES

Wide facade taping knife cork


Length	380 mm
Width	100 mm
Blade thickness	0,5 mm

Wide facade taping knife twocomponent


Length	380 mm
Width	100 mm
Blade thickness	0,5 mm

Narrow facade taping knife cork


Length	380 mm
Width	60 mm
Blade thickness	0,5 mm

Narrow facade taping knife twocomponent


Length	380 mm
Width	60 mm
Blade thickness	0,5 mm

Paint putty knife with bit cork


Width	150 mm
Blade thickness	0,6 mm

Facade taping knife fenix twocomponent


Length	200 mm
Width	100 mm
Blade thickness	0,5 mm

Paint putty knife with bit leather alcantara


Width	150 mm
Blade thickness	0,6 mm

Paint putty knife with bit twocomponent


Width	150 mm
Blade thickness	0,6 mm

Paint putty knife with bit cork


Width	100 mm
Blade thickness	0,6 mm

Paint putty knife twocomponent


Width	100 mm
Blade thickness	0,6 mm

Paint putty knife leather alcantara


Width	100 mm
Blade thickness	0,6 mm

"Master of All Trades, Every Master's Choice!"

MIXING TUBE AND BUCKETS

Rectangular castor


Capacity	65 L
----------	------

Construction bucket


Capacity	16L
----------	-----

Construction bucket with spout


Capacity	16L
----------	-----

ADHESIVE TROWELS

Swiss Super Profi Cork Trowel


Length	480 mm
Width	130 mm
Blade thickness	1,2 mm

Swiss trowel with wood notch


Length	480 mm
Width	130 mm
Blade thickness	1,2 mm

Swiss wood trowel


Length	480 mm
Width	130 mm
Blade thickness	1,2 mm

Swiss Super Profi two-component trowel


Length	480 mm
Width	130 mm
Blade thickness	1,2 mm

Swiss trowel with Super Profi notch cork


Length	480 mm
Width	130 mm
Blade thickness	1,2 mm

Swiss trowel with Super Profi two-component notch


Length	480 mm
Width	130 mm
Blade thickness	1,2 mm

"Master of All Trades, Every Master's Choice!"

CORNER TROWELS

Double-sided corner trowel cork


Length	90 mm
Width	80 mm
Blade thickness	0,7 mm

Double-sided corner trowel alcantara leather


Length	90 mm
Width	80 mm
Blade thickness	0,7 mm

Double-sided corner trowel wood


Length	90 mm
Width	80 mm
Blade thickness	0,7 mm

Two-sided two-component corner trowel


Length	90 mm
Width	80 mm
Blade thickness	0,7 mm

Two-component external edge trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Cork Inside Edge Trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Interior Edge Trowel Alcantara Leather


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Two-component expansion joint trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Wood interior edge trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Cork outside edge trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Wood exterior edge trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Outer Edge Trowel Alcantara Leather


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

Two-component external edge trowel


Length	60 mm
Width	80 mm
Blade thickness	0,7 mm

"Master of All Trades, Every Master's Choice!"

NOTCHED TROWELS

Stainless steel trowel with wood notch


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Stainless steel trowel with cork notch


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Stainless steel trowel with two-component notch type SG


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Two-component stainless steel notched trowel


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Stainless steel trowel with notch, leather alcantara


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

TROWELS

Two-component stainless steel trowel SG


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Two-component stainless steel trowel


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Popular stainless steel trowel


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Stainless steel trowel leather alcantara


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Stainless steel trowel cork


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

Stainless steel trowel wood


Length	280 mm
Width	130 mm
Blade thickness	0,7 mm

"Master of All Trades, Every Master's Choice!"

VENETIAN TROWELS

Two-component trapezoidal stainless steel trowel


Length	240 mm
Width	90 mm
Width at the back	110 mm
Blade thickness	0,7 mm

Stainless steel trowel trapeze leather alcantara


Length	240 mm
Width	90 mm
Width at the back	110 mm
Blade thickness	0,7 mm

Stainless steel trowel trapezoid wood


Length	240 mm
Width	90 mm
Width at the back	110 mm
Blade thickness	0,7 mm

Stainless steel trowel trapezoid cork


Length	240 mm
Width	90 mm
Width at the back	110 mm
Blade thickness	0,7 mm

TILERS SPATULA

Two-component stucco trowel


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Wood stucco trowel


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Stucco trowel leather alcantara with hammer


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Cork stucco trowel


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Vintage leather stucco trowel with hammer


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Stainless steel stucco trowel wood (2)


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Nierdzewna kielnia sztukatorska dwukomponent (2)


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Stainless steel stucco trowel wood


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

"Master of All Trades, Every Master's Choice!"

TILERS SPATULA

Stainless steel stucco trowel alcantara leather


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Stainless steel stucco trowel cork


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

Stainless steel two-component stucco trowel


Length	110 mm
Width	80 mm
Blade thickness	1,4 szlifowane do 0,8 mm

TRAPEZIOD TROWELS

Trapezoidal trowel wood


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Two-component trapezoidal trowel


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Cork trapezoidal trowel


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Stainless steel trapezoidal trowel wood


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Stainless steel two-component trapezoidal trowel


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Stainless steel trapezoidal trowel cork


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Stainless steel trapezoidal trowel welded wood


Length	160 mm
Width	125 mm
Blade thickness	1 mm

Stainless steel trapezoidal trowel welded two-component


Length	160 mm
Width	125 mm
Blade thickness	1 mm

"Master of All Trades, Every Master's Choice!"

TRAPEZIOD TROWELS

Stainless steel trapezoidal trowel cork


Length	160 mm
Width	125 mm
Blade thickness	1,4 mm

Stainless steel trapezoidal trowel welded alcantara leather


Length	160 mm
Width	125 mm
Blade thickness	1 mm

TRIANGULAR TROWELS

Hamburg wood trowel


Length	140 mm
Width	80 mm
Blade thickness	1 mm

Two-component Hamburg trowel


Length	140 mm
Width	80 mm
Blade thickness	1 mm

Hamburg trowel alcantara leather


Length	140 mm
Width	80 mm
Blade thickness	1 mm

Hamburg cork trowel


Length	140 mm
Width	80 mm
Blade thickness	1 mm

Cat Tongue Wood Trowel


Length	140 mm
Width	60 mm
Blade thickness	1 mm

Two-component cat tongue trowel


Length	140 mm
Width	60 mm
Blade thickness	1 mm

Cat Tongue Trowel Alcantara Leather


Length	140 mm
Width	60 mm
Blade thickness	1 mm

Cat Tongue Trowel Cork


Length	140 mm
Width	60 mm
Blade thickness	1 mm

"Master of All Trades, Every Master's Choice!"

TRIANGULAR TROWELS

Kielnia trójkątna dwukomponent


Length	200 mm
Width	190 mm
Blade thickness	1,4 mm

Triangular trowel wood


Length	200 mm
Width	190 mm
Blade thickness	1,4 mm

Cork Triangular Trowel


Length	200 mm
Width	190 mm
Blade thickness	1,4 mm

TILERS TOOLS

Tiling set


The ZGP tiling set includes: 22L bucket, grid, rollers.

Tiling set number 1.


Set includes: 22L bucket, grid, rollers

Tiling set number 2.


Set includes: 22L bucket, grid, rollers

Tiling set no. 3


Set includes: 22L bucket, grid, rollers

Tiling set no. 4


Set includes: 22L bucket, grid, rollers

"Master of All Trades, Every Master's Choice!"

ARTICULATED SPONGE

Replacement sponge for trowel



Sponge thickness	18 mm
Length	280 mm
Width	140 mm

Handle for articulated trowel



Wooden handle with threaded nut for articulated trowel.

Articulated aluminum trowel with rubber sponge and handle



Aluminum jointed trowel with orange rubber sponge backing 400x200x18 mm with handle.


MEASURING TOOLS

Aluminum mason's rule with handle and four eyelets



Length	1500 mm
--------	---------

Aluminum mason's rule with four holes



Length	1500 mm
--------	---------

Aluminum masonry rule with handle



Length	1500 mm
--------	---------

Aluminum masonry rule



Length	1500 mm
--------	---------

Aluminum plastering patch h



Length	1000 mm
--------	---------

Aluminum floor patch Super Profi +



Length	1000 mm
--------	---------

Aluminum plastering patch



Length	1000 mm
--------	---------

Aluminum spirit level Power Max



Length	800 mm
--------	--------

Aluminum plastering template



Length	600 mm
Width	600 mm

Red spirit level



Length	800 mm
--------	--------

"Master of All Trades, Every Master's Choice!"

STYROFOAM AND POLIURETHANE FLOAT

Polyurethane trowel


Length	700 mm
Width	120 mm

Styrofoam trowel


Length	320 mm
Width	140 mm

Polyurethane trowel


Length	340 mm
Width	120 mm
Width at the back	140 mm

SCRAPERS AND OTHERS

Handle for scraper



Length	1400 mm
--------	---------

Passage rasp


Length	270 mm
Width	130 mm

Floor scraper


Width	300 mm
-------	--------

Aluminum stripper


Length	450 mm
--------	--------

Two-component plaster grid


Length	290 mm
Width	250 mm

Two-component pass-through rasp


Length	270 mm
Width	130 mm

FILLING AGGREGATE KALETA-152 152 ECO


Dimensions of agregat	900x520x860 MM
-----------------------	----------------

Knee pads


Nakolanniki wykonane z tworzywa sztucznego, stworzone w celu ułatwienia pracy w różnych niewygodnych pozycjach. Miękka struktura wewnętrzna zapewni ochronę i wygodę dla Twoich kolan.

Bucket scoop


Width	180 MM
-------	--------

"Master of All Trades, Every Master's Choice!"